


SITESHIELD Standard Base

All-In-One Outdoor Surveillance Solution
Deployment for Anywhere with Power

SS-KG1-B2S
SS-KG1-B3S
SS-KG1-B4S

SITESHIELD Standard Base w/ 3Y Licenses Includes:

- 1x NEMA Enclosure System and Accessory with Built-in Thermostat Heater and Fan
- 1x 4CH NVR w/2TB HDD
- 1x 4G LTE Router with antenna
- 2 x TP-SDLPZ (Adapter Plate)
- 3Y SiteShield License include Core AI for All Cameras in SiteShield, SiteShield Management License (Remote Power Control, Virtual Guard Dashboard) and Warranty



SPECIFICATIONS

SS-KG1-B2S

SS-KG1-B3S

SS-KG1-B4S

GENERAL

Dimensions (HxWxD) 23.8" x 19.1" x 10.4"(605 x 485 x 265mm)

Weight 40lbs(without camera)

Working Environment -30~60°C (-22~140°F), Humidity ≤ 90% RH (non-condensing)

Rating IP55

POWER

Power AC110V
Power consumption: ~64W(without camera)

Power Interface Cable Conduit Connector

HEAT AND FAN

Heat Heater Capacity: 150W
Heater turn on at 59°F(15°C)

Fan MTBF: 10 years
Fan turn on at 86°F(30°C)

NETWORK (CELLULAR)

Standard and Band LTE FDD: B1/B3/B5/B7/B8/B20/B28
B1/B2/B3/B4/B5/B7/B8/B28 (Optional),
B2/B4/B5/B12/B13/B17/B66/B71 (Optional)
LTE TDD: B38/B39/B40/B41
HSPA+/HSUPA/HSDPA/WCDMA/UMTS 2100
/1900/900/850MHz
EV-DO: BC0
CDMA 1x: BC0
EDGE/GPRS/GSM 850/900/1800/1900MHz

Antenna Interface Cellular: 2 * Standard SMA female antenna interface, characteristic impedance: 50 Ω

SIM/UIM Slot Standard drawer-type user card interface

AVAILABLE SKUS

SKU NUMBER Support CAMERA OPTION(Camera not included)

SS-KG1-B2S 2x Smart Series Cameras

SS-KG1-B3S 3x Smart Series Cameras

SS-KG1-B4S 4x Smart Series Cameras


MOUNT OPTIONS Pole Mount

3.9 into 11.8 in dia Stainless Steel Adjustable Clamp x4 (Included)



MOUNT OPTIONS Wall Mount

M8 x 80
(Not included in Product)




24/7 SECURITY POWERED BY AI

SS-KG1-B2S

SS-KG1-B3S

SS-KG1-B4S



KEY FEATURES



Receive Instant Smart Alerts for Intruders/Trespassers/Person of Interest/Vehicle of Interest via SMS/Email/Push Notifications

Remote Live Stream Monitoring



- Remote Live Streaming up to 16 Cameras in HD
- Bookmark and Auto-Cycle Play for Live Monitoring



Share Live Camera Streams With First Responders



Find Events Fast with Smart Video Search and Archive/Share for Future Reference



View Live Footage From any Desktop / Mobile Device



Flexible Hybrid Storage Locally or on the Cloud